raising the bar UNDERGROUND







Aries Mobile Pathfinder System delivers the power of a fully-equipped inspection truck in a portable, easy-to-use system.





Mobile Pathfinder System

The Mobile Pathfinder System is a lightweight, portable system for accurately inspecting mainlines 6" or larger. It combines a powerful transporter, innovative camera, and lightweight reel, operated by our all-in-one remote control.

Pathfinder Series Transporter

- Choose from three Pathfinder Series transporters to match pipe size
- Multiple wheel configurations to adapt to pipe conditions
- · Rear-facing camera to monitor retrieval
- · Camera lift for full view of the pipe

WiperCam Pan & Tilt Camera

- 270° unobstructed viewing angle to view with-the-flow laterals and tractor wheels
- 360° camera head rotation for a full view of the pipe
- 120x zoom and high intensity LED lighting to capture pipe details
- Self-cleaning lens system and field replaceable wipers to maximize time in the pipe

Reel

- Portable, lightweight reel to access hard-to-reach areas
- 1000' of low-friction, multi-conductor cable extends your reach

All-In-One Remote Control

- Easy-to-use controller operates tractor, reel, and camera
- Hand-held or mounted on a desktop
- Includes monitor, internal digital video recorder and integrated overlay

raising the bar Company of the bar Company o

Pathfinder Series Transporters

Easily navigate harsh pipe conditions.

The Mobile Pathfinder System includes a steerable, self-propelled tractor from our Pathfinder Series. Our range of models, Large Line Kits and wheel sizes ensure you get the right tractor for any combination of distance, condition, and pipe size.

Models TR3300 / TR3320 / TR3400

All Models

- · Works with Aries WiperCam Pan & Tilt camera
- Operates on Mobile Pathfinder PR3400 Reel
- Rear tip-up cable connection with secure twistlock mechanism
- · Rear-viewing camera with LED lighting
- Available auxiliary high power detachable light head (optional)
- Single fastener mounting for fast tire size changes
- Six-wheel, steerable drive system to match pipe contours
- · Continuous duty drive motors
- Operates in power forward, power reverse, steer-left, steer-right, and free wheel modes
- 512Hz sonde/locating beacon

Pathfinder Model TR3300

- Operates in 6"-24" relined mainlines
- All gear-driven drive train powered by two independent, brushless motors
- · Waterproof gel-filled circuit board cavity
- · Manual camera-lift

Pathfinder Model TR3320

- · Operates in 6"-24" mainlines
- Large Line Kit for operation in pipes up to 36" and larger (optional)

- Electric 7.1" camera lift
- On-screen diagnostics monitor transporter conditions
- Sealed and pressurized motor and electronics compartments

Pathfinder XL Model TR3400

- Operates in 8"-30" mainlines
- Large Line Kit for operation in pipes up to 60" (optional)
- · Electric camera lift
- · On-screen diagnostics monitor transporter conditions
- Sealed and pressurized motor and electronics compartments



WiperCam Pan & Tilt Camera

Capture highly-detailed images.

Inspections using the Mobile Pathfinder System are completed quickly and accurately because of our WiperCam Pan & Tilt zoom camera. Our innovative mainline zoom camera is equipped with a self-cleaning lens system and field replaceable wipers for more time in the pipe.

Application

- For mainline pipes 6" diameter relined and up
- Adaptable to almost any multi-conductor CCTV system
- Compatible with all Aries tractors

Lens

- Self-cleaning lens system with field-replaceable wipers
- 120:1 zoom capability, 10x-optical, 12x-digital

Pan & Tilt Viewing

- · Continuous 360° camera head rotation
- 270° unobstructed viewing angle
- Resolution of 720 (H) lines
- · Spherical viewing capabilities in excess of 90%
- PE3430 horizontal pan to home / PE3530 vertical tilt to home options

Lights

- Ultra-low light sensitive .05 lux
- Automatic exposure compensation
- Natural white LED lighting
- "Starlight" light enhancement feature
- · Automatic iris compensation

Diagnostics

- · Internally pressurized with on-screen monitoring
- On-screen diagnostics continually monitor internal camera conditions

Construction

- Shock resistant
- Break-resistant, scratch-proof sapphire camera window
- Operates on up to 2,000' of multi-conductor cable
- Optional crosshair generating lasers for crack measurement





CORPORATE OFFICE

550 Elizabeth Street Waukesha, WI 53186 Toll Free: 800-234-7205 Phone: 262-896-7205 Fax: 262-896-7099 sales@ariesindustries.com

WESTERN REGIONAL

5748 E. Shields Avenue, Suite 101 Fresno, CA 93727 Toll Free: 800-671-0383 Phone: 559-291-0383 Fax: 559-291-0463

SOUTHERN REGIONAL

561 Thornton Road, Suite D Lithia Springs, GA 30122 Toll Free: 800-327-4346 Phone: 770-941-1144 Fax: 770-941-1141

ARIES CANADA LTD.

95 Whitmore Road, Unit 1 Vaughan, Ontario Canada, L4L 6E2 Toll Free: 877-730-7010 Phone: 905-265-2279 Fax: 905-265-2299





